


LCD 3D Printer

CubeX P8.9

Leading technology light-cured 3D printer, XLC8.9 develop from April, 2017, now it is Generator 5, new creation on the way, imported lighting system with high power and good evenness. Imported screw module, high acutance , use 128 line motor, making Z axis stable and accurate. Use 4.3" TFT touch panel, U disk to print or WiFi network print and control, auto feed assistant system. No more replacement. Software developed by ourself, changing data on line, support svg, b9j, cws files to print.



Tech Specs

Printing		LCD panel	
Technology	UV LCD	Panel size	8.9in
Build volume	190×118×170mm 7.4×4.6×6.7in	Resolution	2560*1600 339PPI
Layer thickness	25/50/100 microns	Pixel size	75 microns
Print Speed	10-35mm/h	Light source	
Touchscreen	4.3in Color IPS 480 x 272	UV LED (Wavelength 405nm)	
Connectivity	Wi-Fi, Ethernet, USB	Electrical	
Software		Power	360w
Software bundle	X-Studio	Voltage	AC Input: 100-250V50/60Hz DC Worinking: 24V 2A
Supported file types	.stl,slc,b9j,svg,cws	Weight & physical dimensions	
Supported software	Nonadlp,B9Creator &CreationWorkshop	Device Dimensions	310x310x545 mm
Supported operating systems	Windows 7&up	Shipping weight	?
Application		Net weight	?
Industry,Design, Education, ACG, Medicine, Dental, Jewelry			

Feature

8.9-inch LCD printer

Depth optimization structure, overall improvement of stability

Screen temperature / Automatic feeding/
Real-time adjustment of LCD power







Custom 5mm thick pearl cotton packaging, details determine the quality





2K LCD
Resolution : 2650×1440



In order to meet the stringent standards, LCD panel and LED lamp beads are imported, and through a number of testing procedures to ensure strict yield

Multiple redundant design ensures long and stable operation of the optical system





Multilingual minimalist interface
4.3inch Color touch screen



Touch screen can rotate 60°



Print Search IP address Set Ddeveloping



